


AMERICAN FASTENING SYSTEMS



WOOD PRO
By B&C Eagle

**PRODUCT
CATALOG**



1 STEP 1:
To identify the Length, Angle and Collation of your nail:

- A) Place the point of the first nail of the strip or coil on the nail shown and lay the strip or coil on the chart. See the next page for full size chart.
- B) With the fasteners on the chart you will be able to see the length of the nail and the points of the nails will fall within a color angle bar to identify the angle of the nails.

2 STEP 2:
After you identify the Length, Angle, Collation and Color Code:

- A) Find the matching label for the fastener. In this case, you would look for the **GREEN** color bar on the label for 22°.
- B) In most cases, label text is **GREEN** for hot dip galvanized, **BLUE** for stainless steel and **black** for bright and electro galv.
- C) Find your tool model in the list. For a more complete list, please visit www.bandceagle.com or look at the product page in this catalog. Locate the Color Coded Fastener box in stock.



238X113HDR/22
Length 2-3/8" Shank Size .113 Hot Dip Galvanized Ring Shank 22°

LABEL KEY

HD	Hot Dip Galvanized	Meets ASTM A153-D Standard for Zinc coating weight
SS	Stainless Steel	Best possible corrosion protection
R	Ring Shank	
PC	Plastic Coil	Plastic sheet collation
HT	Heat Treated	Provides added strength to the fastener
SC	Screw Shank	

TYPES OF FASTENER COATINGS:

Bright — Bright fasteners have no coating to protect the steel and are susceptible to corrosion if exposed to high humidity or water. They are not recommended for exterior use or in treated lumber, and only for interior applications where no corrosion protection is needed. Bright fasteners are often used for interior framing, trim and finish applications.


Hot Dipped Galvanized — Hot dip galvanized fasteners are coated with a layer of Zinc to help protect the steel from corroding. Although hot dip galvanized fasteners will corrode over time as the coating wears, they are generally good for the lifetime of the application. Hot dip galvanized fasteners are generally used for outdoor applications where the fastener is exposed to daily weather conditions such as rain and snow. Areas near the coasts where the salt content in rain water is much higher, should consider Stainless Steel fasteners as salt accelerates the deterioration of the galvanization and will accelerate corrosion. All B&C Eagle fasteners meet or exceed the ASTM 153-D classification for Zinc galvanization coating weight. This ensures the longest lifetime possible for a hot dip galvanized fastener.

Electro Galvanized — Electro Galvanized fasteners have a very thin layer of Zinc that offers some corrosion protection. They are generally used in areas where minimal corrosion protection is needed such as bathrooms, kitchens and other areas that are susceptible to some water or humidity. Areas near the coasts where salt content in rain water is higher should consider a Hot Dip Galvanized or Stainless Steel fastener. All B&C Eagle electro galvanized fasteners meet or exceed the ASTM 641 for Zinc galvanization coating weight for maximum fastener life.

Stainless Steel — Stainless steel fasteners offer the best corrosion protection available. The steel may oxidize or rust over time but it will never lose its strength from corrosion. Stainless Steel fasteners can be used for exterior or interior applications and generally come in 304 or 316 stainless steel. All B&C Eagle fasteners use a minimum S304 stainless steel.


PPG E-Coat — PPG 1,000 hour E-coat is a premium coating that started out exclusively for industrial and automotive applications. Because of the success and high corrosion protection, it is now used on fasteners. PPG E-Coat comes in many colors and is spread consistently on the fastener ensuring a smooth uniform thickness that prevents recess head and thread fill. The fastener is Zinc and Zinc Nickel plated before being electro coated to provide ultimate corrosion protection. The PPG coating B&C Eagle uses for our fasteners withstands up to 1,000 hours of salt spray before starting to show signs of corrosion. This results in some of the best corrosion protection in the industry.

COLOR CODED ANGLE AND SIZE CHART



TO DETERMINE THE PROPER NAIL ANGLE AND SIZE, PLACE THE POINT OF THE FIRST NAIL OF THE STRIP OR COIL OVER THE POINT OF THE NAIL AS SHOWN ON THE CHART.

For the most up to date information, please visit our website. We have a massive cross reference database of tools and fasteners to help you find the right fastener for your tool or project. We are constantly updating, if you can't find your tool or fastener listed in the catalog, check our website.



Fastener
Selection Guide

[Home](#) - [Product Catalog](#) - [Fastener Selection Guide](#) - [Find a Distributor](#) - [What's NEW](#) - [Service Department](#)

[Home](#) > [Fastener Selection Guide](#)

Need help finding the proper fastener for your tool or job? We have made it easy for you! We have multiple ways for you to find the fastener you need. Simply look for the option below that is easiest for you.

- [1 Learn how our collated program works](#)
- [2 Types of fastener shanks and collations](#)
- [3 Types of fastener coatings](#)

#1 Select your tools brand and model

Don't see your tools model number? Try entering it below.


#2 Know your tools model number?

Please remember to include any dashes, spaces or dots in the model number.

#3 Enter a competitors fastener part number

Example: If you currently use Paslode fasteners, enter Paslode's part number above and we'll take you to our comparable fastener.

Search Results




B&C Eagle, CN45R

Tool information:
15 degree Coil Roofing Nailer, 3/4" to 1-3/4"


Also known as:
CN45

Compatible B&C Eagle Fasteners


Click on a part number for more detailed description.




B&C Eagle, ACR-1
1" x .120, Electro Galvanized Smooth Shank




B&C Eagle, CR-1
1" x .120, Electro Galvanized Smooth Shank




B&C Eagle, ACR-114
1-1/4" x .120, Electro Galvanized Smooth Shank




B&C Eagle, CR-114
1-1/4" x .120, Electro Galvanized Smooth Shank




B&C Eagle, ACR-112
1-1/2" x .120, Electro Galvanized Smooth Shank



B&C Eagle, CR-112
1-1/2" x .120, Electro Galvanized Smooth Shank



B&C Eagle, ACR-134
1-3/4" x .120, Electro Galvanized Smooth Shank



B&C Eagle, CR-134
1-3/4" x .120, Electro Galvanized Smooth Shank

33/34° OFFSET HEAD PAPER TAPE COLLATION



Primary Applications:
Framing, Trusses, Subflooring,
Decking, Fencing, Sheathing,
Crate and Box Assembly,
Pallets

Part Number	Size	Shank	Description	Qty/Box
112x148/33-1M	1-1/2"	.148	Bright Smooth Joist Hanger	1.0M
112x148/33	1-1/2"	.148	Bright Smooth Joist Hanger	3.0M
112x148HD/33-1M	1-1/2"	.148	Hot Dip Galv. Smooth	1.0M
112x148HD/33	1-1/2"	.148	Hot Dip Galv. Smooth	3.0M
2x113/33	2"	.113	Bright Smooth Shank	2.5M
2x113HDR/33	2"	.113	Hot Dip Galv. Ring	2.5M
238x113/33	2-3/8"	.113	Bright Smooth Shank	2.5M
238x113R/33	2-3/8"	.113	Bright Ring Shank	2.5M
238x113HD/33	2-3/8"	.113	Hot Dip Galv. Smooth Shank	2.5M
238x113HDR/33	2-3/8"	.113	Hot Dip Galv. Ring Shank	2.5M
238x113RSS/33	2-3/8"	.113	Stainless Steel Ring Shank	1.0M
212x162/33	2-1/2"	.162	Bright Smooth Shank	2.0M
212x162HD/33	2-1/2"	.162	Hot Dip Galv. Smooth Shank	2.0M
234X120R/33	2-3/4"	.120	Bright Ring Shank	2.5M
3x120/33	3"	.120	Bright Smooth Shank	2.5M
3x131HD/33	3"	.131	Hot Dip Galv. Smooth Shank	2.5M
3x131/33	3"	.131	Bright Smooth Shank	2.5M
3x120R/33	3"	.120	Bright Ring Shank	2.5M
3x120HDR/33	3"	.120	Hot Dip Galv. Ring Shank	2.5M
314x120HDR/33	3-1/4"	.120	Hot Dip Galv. Ring Shank	2.5M
314x120RSS/33	3-1/4"	.120	Stainless Steel Ring Shank	1.0M
314x131/33	3-1/4"	.131	Bright Smooth Shank	2.5M
314x131HD/33	3-1/4"	.131	Hot Dip Galv. Smooth Shank	2.5M
314x131HDR/33	3-1/4"	.131	Hot Dip Galv. Ring Shank	2.5M
312x131/33	3-1/2"	.131	Bright Smooth Shank	2.5M
312x131HD/33	3-1/2"	.131	Hot Dip Galv. Smooth Shank	2.5M

CONSUMER PACKS

A2x113HDR/33	2"	.113	Hot Dip Galv. Ring Shank	500
A214X120HT/33	2-1/4"	.120	Heat Treated Smooth	500
A238x113/33	2-3/8"	.113	Bright Smooth Shank	500
A238x113R/33	2-3/8"	.113	Bright Ring Shank	500
A238x113HDR/33	2-3/8"	.113	Hot Dip Galv. Ring Shank	500
A238x113RSS/33	2-3/8"	.113	Stainless Steel Ring Shank	500
A3x131/33	3"	.131	Bright Smooth Shank	500
A3x120HDR/33	3"	.120	Hot Dip Galv. Ring Shank	500
A3x131RSS/33	3"	.131	Stainless Steel Ring Shank	500
A314x120HDR/33	3-1/4"	.120	Hot Dip Galv. Ring Shank	500
A314x131/33	3-1/4"	.131	Bright Smooth Shank	500
A314x131HD/33	3-1/4"	.131	Hot Dip Galv. Smooth	500
A314x131RSS/33	3-1/4"	.131	Stainless Steel Ring Shank	500
A312x131/33	3-1/2"	.131	Bright Smooth Shank	500
A312x131HD33	3-1/2"	.131	Hot Dip Galv. Smooth Shank	500



ENGINEERED TO FIT:

B&C EAGLE	SN3483, SN3490, MC150
BEA	D100-934C
BESCO	CHF 9034, CHF 9034P
BOSCH	SN350-34C
BOSTITCH	F33PT, MCN150, MCN250, N90PT-1
CRAFTSMAN	18179, 18189
DEWALT	D51822, D51823, D51825, DWF83PT, DW325PT DCN692
FASCO	F5C HHN 31-90A SS, F6 HHN 31-90
GREX	PPN65, SF9034H
GRIP-RITE	GR150, GR250, GRTCH350
GRIZZLY	H5571, H6146, H7944
HITACHI / METABO	NR1890DCS, NR1890DR, NR65AK, NR65AKS NR83AA, NR83AA2, NR83AA3, NR83AA5 NR90AA, NR90AD
ISM	CHN933
MAKITA	AN942, AN943
MAX	GS683CH, GS683CH-EX SN883CH/34, SN890CH/34
MILWAUKEE	7110-20, 2745-20/21
NORTHERN TOOL	1000992
PASLODE	5250/65S-PP, 5300, 5325, 5350 CF-325, CF-325XP, F250S-PP, F325R, F350S F350P, F350-21, IM325, IM325CT, IM350, IMCT PF350S
PNEU TOOLS	RN-150, RN-250, RNS-150
PORTER CABLE	FC350, FC350A
POWERS	W3-34CDH
PRIMEAIR	PCH350
RIDGID	R350CHA
SENCO	FRAMEPRO 601, 701XP, 751XP GT90CH, HN150, HN250 SN325, SN70, SN70XP
SPOTNAIL	NTD90, YTD90
STAN-TECH	SDN11-PT-1
SUPCO	SDF88

PLUS MOST OTHER 31-34° PAPER TAPE STRIP FRAMING NAILERS



20/22° FULL ROUND HEAD PLASTIC COLLATION



Primary Applications:
Framing, Trusses, Subflooring,
Decking, Fencing, Sheathing,
Crate and Box Assembly,
Pallets

Part Number	Size	Shank	Description	Qty/Box
2x113HDR/22	2"	.113	Hot Dip Galv. Ring Shank	3.0M
2x113HDR/22B	2"	.113	Hot Dip Galv. Ring Shank	6.0M
238x113/22	2-3/8"	.113	Bright Smooth Shank	2.5M
238x113/22B	2-3/8"	.113	Bright Smooth Shank	5.0M
238x113R/22	2-3/8"	.113	Bright Ring Shank	2.5M
238x113R/22B	2-3/8"	.113	Bright Ring Shank	5.0M
238x113HDR/22	2-3/8"	.113	Hot Dip Galv. Ring Shank	2.5M
238x113HDR/22B	2-3/8"	.113	Hot Dip Galv. Ring Shank	5.0M
238x113RSS/22	2-3/8"	.113	Stainless Steel Ring Shank	1.0M
3x120HDR/22	3"	.120	Hot Dip Galv. Ring Shank	2.0M
3x120HDR/22B	3"	.120	Hot Dip Galv. Ring Shank	4.0M
3x131/22	3"	.131	Bright Smooth Shank	2.0M
3x131/22B	3"	.131	Bright Smooth Shank	4.0M
314x131/22	3-1/4"	.131	Bright Smooth Shank	2.0M
314x131/22B	3-1/4"	.131	Bright Smooth Shank	4.0M
314x120HDR/22	3-1/4"	.120	Hot Dip Galv. Ring Shank	2.0M
314x120HDR/22B	3-1/4"	.120	Hot Dip Galv. Ring Shank	4.0M
314x131RSS/22	3-1/4"	.131	Stainless Steel Ring Shank	1.0M
312x131/22	3-1/2"	.131	Bright Smooth Shank	2.0M
312x131/22B	3-1/2"	.131	Bright Smooth Shank	4.0M
312x131HD/22	3-1/2"	.131	Hot Dip Galv. Smooth	2.0M
312x131HD/22B	3-1/2"	.131	Hot Dip Galv. Smooth	4.0M
4X148HDR/22	4"	.148	Hot Dip Galv. Ring Shank	1.8M
4X148R/22	4"	.148	Bright Ring Shank	1.8M
412X148R/22	4-1/2"	.148	Bright Ring Shank	1.8M
518X148/22	5-1/8"	.148	Bright Smooth Shank	1.8M
518X148HDS/22	5-1/8"	.148	Hot Dip Galv. Screw Shank	1.8M
518X148S/22	5-1/8"	.148	Bright Screw Shank	1.8M
614X162/22	6-1/4"	.162	Bright Smooth Shank	1.0M
614X162HDS/22	6-1/4"	.162	Hot Dip Galv. Screw Shank	1.0M
614X162S/22	6-1/4"	.162	Bright Screw Shank	1.0M

CONSUMER PACKS

A2x113HDR/22	2"	.113	Hot Dip Galv. Ring Shank	500
A238x113/22	2-3/8"	.113	Bright Smooth Shank	500
A238x113R/22	2-2/8"	.113	Bright Ring Shank	500
A238x113HDR/22	2-3/8"	.113	Hot Dip Galv. Ring Shank	500
A238x113RSS/22	2-3/8"	.113	Stainless Steel Ring Shank	500
A3x120/22	3"	.120	Bright Smooth Shank	500
A3x120HDR/22	3"	.120	Hot Dip Galv. Ring Shank	500
A3x131/22	3"	.131	Bright Smooth Shank	500
A3x131RSS/22	3"	.131	Stainless Steel Ring Shank	500
A314x120HDR/22	3-1/4"	.120	Hot Dip Galv. Ring Shank	500
A314x131/22	3-1/4"	.131	Bright Smooth Shank	500
A314x131HD/22	3-1/4"	.131	Hot Dip Galv. Smooth	500
A314x131RSS/22	3-1/4"	.131	Stainless Steel Ring Shank	500
A312x131/22	3-1/2"	.131	Bright Smooth Shank	500
A312x131HD/22	3-1/2"	.131	Hot Dip Galv. Smooth	500



NAILS

ENGINEERED TO FIT:

B&C EAGLE	SN2283, SN2290, SN22160
BESCO	RHF 10021, RHF 9021, RHF 9021P
BOSCH	SN350-20F
BOSTITCH	F21PL, N88RH, N88RH-2MCM N90RHN, N95RHN, RN90
CAMPBELL HAUSFELD	NS209000AV
CRAFTSMAN	18178
DEWALT	D51844, D51845, D51850, DCN21PL DW325PL, DWF83PL
DUO-FAST	CN-350B, NSP-350F1, NSP-350F2
FASCO	F5C RHN 20-90, F5C RHN 20-90A SS F6 RHN 20-90, F91
HITACHI / METABO	NR1890DC, NR1890DRS, NR83A, NR83A2 NR83A2S, NR83A5(S), NR90AC, NR90AC3 NR90AE, NR90GR
ISM	CHN921
MAKITA	AN8300, AN922, AN923
MAX	GS683RH, GS683RH-EX, SN80 SN883RH, SN890RH, SN90
MILWAUKEE	7100-20, 2744-20/21
NORTHERN TOOL	1000992
PALMGREN	91232
PASLODE	5325 SRH, 5350 SRH-20
PORTER CABLE	FR350, FR350A, FR350MAG
POWERS	W3-21FRH
PREBENA	8F-RK100-S90, PKT-7-RK90
RIDGID	R350RHA
SENCO	FRAMEPRO 502, 600 FRH, 602, 652 FRAMEPRO 702XP, 752XP GT90FRH, SN60, SN65, SN65C NPR90, YPR90
SPOTNAIL	NPR90, YPR90

PLUS MOST OTHER 20-22° PLASTIC STRIP FRAMING NAILERS



28° OFFSET HEAD WIRE WELD COLLATION



Primary Applications:

Framing, Trusses, Subflooring, Decking,
Fencing, Sheathing, Crate and Box Assembly,
Pallets

Part Number	Size	Shank	Description	Qty/Box
2x113/28	2"	.113	Bright Smooth Shank	2.0M
2x113HDR/28	2"	.113	Hot Dip Galv. Ring Shank	2.0M
238x113/28	2-3/8"	.113	Bright Smooth Shank	2.0M
238x113R/28	2-3/8"	.113	Bright Ring Shank	2.0M
238x113HD/28	2-3/8"	.113	Hot Dip Galv. Smooth Shank	2.0M
238x113HDR/28	2-3/8"	.113	Hot Dip Galv. Ring Shank	2.0M
238x113RSS/28	2-3/8"	.113	Stainless Steel Ring Shank (S304)	1.0M
3x120/28	3"	.120	Bright Smooth Shank	2.0M
3x131/28	3"	.131	Bright Smooth Shank	2.0M
3x120HD/28	3"	.120	Hot Dip Galv. Smooth Shank	2.0M
3x120HDR/28	3"	.120	Hot Dip Galv. Ring Shank	2.0M
314x120/28	3-1/4"	.120	Bright Smooth Shank	2.0M
314x120HD/28	3-1/4"	.120	Hot Dip Galv. Smooth Shank	2.0M
314x120HDR/28	3-1/4"	.120	Hot Dip Galv. Ring Shank	2.0M
314x120RSS/28	3-1/4"	.120	Stainless Steel Ring Shank	1.0M
314x131/28	3-1/4"	.131	Bright Smooth Shank	2.0M
314x131HDR/28	3-1/4"	.131	Hot Dip Galv. Ring Shank	2.0M
312x131/28	3-1/2"	.131	Bright Smooth Shank	2.0M
312x131HD/28	3-1/2"	.131	Hot Dip Galv. Smooth	2.0M

CONSUMER PACKS

A2x113HDR/28	2"	.113	Hot Dip Galv. Ring Shank	500
A238x113/28	2-3/8"	.113	Bright Smooth Shank	500
A238x113R/28	2-3/8"	.113	Bright Ring Shank	500
A238x113HDR/28	2-3/8"	.113	Hot Dip Galv. Ring Shank	500
A238x113RSS/28	2-3/8"	.113	Stainless Steel Ring Shank (S304)	500
A3x131/28	3"	.131	Bright Smooth Shank	500
A3x120HDR/28	3"	.120	Hot Dip Galv. Ring Shank	500
A3x131RSS/28	3"	.131	Stainless Steel Ring Shank (S304)	500
A314x131/28	3-1/4"	.131	Bright Smooth Shank	500
A314x131HD/28	3-1/4"	.131	Hot Dip Galv. Smooth	500
A314x131RSS/28	3-1/4"	.131	Stainless Steel Ring Shank (S304)	500
A312x131/28	3-1/2"	.131	Bright Smooth Shank	500
A312x131HD/28	3-1/2"	.131	Hot Dip Galv. Smooth Shank	500

15° WIRE WELD FLAT COIL NAILS



Primary Applications:

Pallet building and Pallet Repair, framing,
Exterior Decks, Subflooring, Crate and
Box Assembly, Floor Sheathing

Part Number	Size	Shank	Description	Qty/Box
2x099HDRC	2"	.099	Hot Dip Galv. Ring	3.0M
2x099SC	2"	.099	Bright Screw Shank	9.0M
214x099SC	2-1/4"	.099	Bright Screw Shank	9.0M
238x099C	2-3/8"	.099	Bright Smooth Shank	3.0M
238x099RC	2-3/8"	.099	Bright Ring Shank	3.0M
238x099HDC	2-3/8"	.099	Hot Dip Galv. Smooth	3.0M
238x099HDRC	2-3/8"	.099	Hot Dip Galv. Ring	3.0M
3x120C	3"	.120	Bright Smooth Shank	2.5M
3x120HDC	3"	.120	Hot Dip Galv. Smooth	2.5M
3x131C	3"	.131	Bright Smooth Shank	2.5M
3x120HDRC	3"	.120	Hot Dip Galv. Ring	2.5M
314x120C	3-1/4"	.120	Bright Smooth Shank	2.5M
314x120HDC	3-1/4"	.120	Hot Dip Galv. Smooth	2.5M
314x120HDRC	3-1/4"	.120	Hot Dip Galv. Ring	2.5M
314x131C	3-1/4"	.131	Bright Smooth Shank	2.5M



NAILS

ENGINEERED TO FIT:

B&C EAGLE	SN2890
APACH	AN-10028E, L2890
BESCO	CHF 9028
BOSTITCH	F28WWW, N100S, N70S, N80S, N80SB, N88WWW
CAMPBELL HAUSFELD	NS2890
CRAFTSMAN	18320
FASCO	F5C HHN 28-90, F6 HHN 28-90
GREX	SF9028H
GRIZZLY	H6145, H8234
MAX	SN883CH28, SN890CH/28
PORTER CABLE	FM350A
PRIMEAIR	PWCH350
STAN-TECH	1526B

PLUS MOST OTHER 28° WIRE WELD STRIP FRAMING NAILERS



NAILS

ENGINEERED TO FIT:

B&C EAGLE	CN70, CN90, CN90F
BOSTITCH	N100C, N57C, N66C-1, N70C, N70CB, N75C-1, N80C, N80CB-1, N86C, N89C-1
DEWALT	D51855
HITACHI	NV65AC, NV75AG, NV83A, NV83A2, NV83A5
MAKITA	AN611, AN621, AN901
MAX	CN100, CN565D/S, CN665, CN70, CN80, CN80F, CN890II, CN890S, HN75, HN90
PASLODE	4275-CN70, 5325-CN80, F275C, P275C, F325C, P350C
PORTER CABLE	COIL250, COIL350
SENCO	PALLETPRO 70, 83, 90, SCN300, SCN56, SCN60XP, SCN65, SCN65XP

PLUS MOST OTHER 15° FLAT COIL NAILERS

15° COIL ROOFING NAILS



Primary Applications:
Roofing, Roof Repairs, Sheeting, Vinyl Siding, Asphalt Paper, Metal Drip Edges

Part Number	Size	Shank	Description	Qty/Box
CR-1	1"	.120	ElectroGalv. Smooth Shank	7.2M
CR-114	1-1/4"	.120	ElectroGalv. Smooth Shank	7.2M
CR-112	1-1/2"	.120	ElectroGalv. Smooth Shank	7.2M
CR-134	1-3/4"	.120	ElectroGalv. Smooth Shank	7.2M

CONSUMER PACKS

Part Number	Size	Shank	Description	Qty/Box
ACR-1	1"	.120	ElectroGalv. Smooth Shank	1,080
ACR-114	1-1/4"	.120	ElectroGalv. Smooth Shank	720
ACR-112	1-1/2"	.120	ElectroGalv. Smooth Shank	720
ACR-134	1-3/4"	.120	ElectroGalv. Smooth Shank	720

ENGINEERED TO FIT:

B&C EAGLE	CN45R	HITACHI / METABO	NV45AB/2, NV45AB2S, NV45AC, NV45AE	PASLODE	3175/44RCU, 3175RCU, R175C
BOSCH	RN175	MAKITA	AN451	PORTER CABLE	RN175, RN175A
BOSTITCH	N12B, RN45B, RN46	MAX	CN445R, CN450R	RIDGID	R175RNA
DEWALT	D51321, DW45RN	MILWAUKEE	7120-21	SENCO	ROOFPRO 450, 455XP, SCN40R

PLUS MOST OTHER 15° COIL ROOFING NAILERS



15° PLASTIC AND WIRE WELD MINI COIL NAILS



Primary Applications:
Roofing, Siding, Sheeting, Deck Pickets, Fencing, Exterior Trim, Wood Shingles, Crate and Box Assembly

Part Number	Size	Shank	Description	Qty/Box
112x092HDPC	1-1/2"	.092	Plastic Hot Dip Galv. Smooth	6.0M
112x092HDRPC	1-1/2"	.092	Plastic Hot Dip Galv. Ring	6.0M
112x092RSSC	1-1/2"	.092	Wire Stainless Steel Ring	3.6M
134x090HDRC	1-3/4"	.090	Wire Hot Dip Galvanized Ring	5.4M
134x092HDPC	1-3/4"	.092	Plastic Hot Dip Galv. Smooth	6.0M
134x092HDRPC	1-3/4"	.092	Plastic Hot Dip Galv. Ring	6.0M
134x092RSSC	1-3/4"	.092	Wire Stainless Steel Ring	3.6M
2x090HDRC	2"	.090	Wire Hot Dip Galv. Ring	5.4M
2x092HDPC	2"	.092	Plastic Hot Dip Galv. Smooth	6.0M
2x092HDRPC	2"	.092	Plastic Hot Dip Galv. Ring	6.0M
2x092RSSC	2"	.092	Wire Stainless Steel Ring	3.6M
2316x090HDC	2-3/16"	.090	Wire Hot Dip Galv. Smooth	5.4M
2316x090HDRC	2-3/16"	.090	Wire Hot Dip Galv. Ring	5.4M
214x092HDPC	2-1/4"	.092	Plastic Hot Dip Galv. Smooth	4.8M
214x092HDRPC	2-1/4"	.092	Plastic Hot Dip Galv. Ring	4.8M
214x092RSSC	2-1/4"	.092	Wire Stainless Steel Ring	3.6M
212x090HDRC	2-1/2"	.090	Wire Hot Dip Galv. Ring	5.4M
212x092HDPC	2-1/2"	.092	Plastic Hot Dip Galv. Smooth	4.8M
212x092HDRPC	2-1/2"	.092	Plastic Hot Dip Galv. Ring	4.8M
3x113HDPC	3"	.113	Plastic Hot Dip Galv. Smooth	4.8M
3x113HDRPC	3"	.113	Plastic Hot Dip Galv. Ring	4.8M

CONSUMER PACKS

A214X092HDPC	2-1/4"	.092	Plastic Hot Dip Galv. Smooth	800
A214X092HDRPC	2-1/4"	.092	Plastic Hot Dip Galv. Ring	800
A212X092HDPC	2-1/2"	.092	Plastic Hot Dip Galv. Smooth	800
A212X092HDRPC	2-1/2"	.092	Plastic Hot Dip Galv. Ring	800



ENGINEERED TO FIT:

B&C EAGLE	CN65SP, CN75
BOSTITCH	N55C, N57C, N63CP, N64C, N65CP N66BC-1, N66C, N66C-1, N75C-1
CRAFTSMAN	18214
DUO-FAST	CNP-60Y
HITACHI / METABO	NV50AG, NV65AH, NV75AG
MAKITA	AN611
MAX	CN351R-ST, CN55, CN550S, CN565D CN565S, CN70, CN890S
PASLODE	3225/CN55
PORTER CABLE	COIL250
SENCO	PALLETPRO 57F, PALLETPRO 70 SCN55S, SCN56, SCN60XP

PLUS MOST OTHER 15° WIRE/PLASTIC MINI COIL NAILERS

Full range of Stainless Steel available

American Fastening Systems now offers a full range of stainless steel products. We have a stainless offering in finish nails, medium crown staples, framing nails and coil nails. Our stainless products generally come in smaller packages that can save you big bucks on your small projects. Be sure to look for the **BLUE TEXT** on each product listing page for our stainless steel items.

FINISH / BRAD NAILS

18 GAUGE STRAIGHT BRAD NAILS		
PART#	DESCRIPTION	QTY/PACK
B18114SS-1M	1-1/4" Stainless Steel (S316)	1,000
B18112SS-1M	1-1/2" Stainless Steel (S316)	1,000
B182SS-1M	2" Stainless Steel (S316)	1,000
16 GAUGE STRAIGHT FINISH NAILS		
PART#	DESCRIPTION	QTY/PACK
B16112SS-1M	1-1/2" Stainless Steel (S316)	1,000
B162SS-1M	2" Stainless Steel (S316)	1,000
B16212SS-1M	2-1/2" Stainless Steel (S316)	1,000
SENCO STYLE ANGLE FINISH NAILS		
PART#	DESCRIPTION	QTY/PACK
DA17SS-1M	1-1/2" Stainless Steel (S316)	1,000
DA21SS-1M	2" Stainless Steel (S316)	1,000
DA25SS-1M	2-1/2" Stainless Steel (S316)	1,000



MEDIUM CROWN STAPLES

7/16" MEDIUM CROWN STAPLES (SENCO STYLE)		
PART#	DESCRIPTION	QTY/BOX
SDM112SS-2M	1-1/2" Stainless Steel (S304)	2,000
SDM2SS-2M	2" Stainless Steel (S304)	2,000
1/2" MEDIUM CROWN STAPLES (PASLODE STYLE)		
PART#	DESCRIPTION	QTY/BOX
PM112SS-2M	1-1/2" Stainless Steel (S304)	2,000
PM2SS-2M	2" Stainless Steel (S304)	2,000



BRAD / FINISH NAILS

18GA. GALVANIZED BRAD NAILS



Primary Applications:
Finish Carpentry, Trim, Base,
Moldings

Part Number	Size	Description	Qty/Box	Qty/Ctn
B18-12	1/2"	Electro Galvanized	5.0M	10
B18-58	5/8"	Electro Galvanized	5.0M	10
B18-34	3/4"	Electro Galvanized	5.0M	10
B18-1	1"	Electro Galvanized	5.0M	10
B18-1316	1-3/16"	Electro Galvanized	5.0M	10
B18-114	1-1/4"	Electro Galvanized	5.0M	10
B18-112	1-1/2"	Electro Galvanized	5.0M	10
B18-158	1-5/8"	Electro Galvanized	5.0M	10
B18-134	1-3/4"	Electro Galvanized	5.0M	10
B18-2	2"	Electro Galvanized	5.0M	10

CONSUMER PACKS

B1834-1M	3/4"	Electro Galvanized	1.0M	5
B181-1M	1"	Electro Galvanized	1.0M	5
B18114-1M	1-1/4"	Electro Galvanized	1.0M	5
B18114SS-1M	1-1/4"	Stainless Steel (S316)	1.0M	5
B18112-1M	1-1/2"	Electro Galvanized	1.0M	5
B18112SS-1M	1-1/2"	Stainless Steel (S316)	1.0M	5
B182-1M	2"	Electro Galvanized	1.0M	5
B182SS-1M	2"	Stainless Steel (S316)	1.0M	5



ENGINEERED TO FIT:

B&C EAGLE	BN1855
BLACK & DECKER	BDBN1202, FS1802BN, FSBN125, FSNS125
BOSCH	BNS200-18
BOSTITCH	BT125K, BT125K-2, BT1855K, BT200K-2, BT35B, BT50B, GBT1850K, SB-1842BN, SB-1850BN, SB-2in1
CRAFTSMAN	18172, 18173, 18174, 18323
DEWALT	D51236K, D51238K, DC608B, DC608K, DCN680
DUO-FAST	DBN-4450, SURESHOT 4450, SURESHOT 4450ST
HITACHI / METABO	NT1850DE, NT1850DESQ7, NT32AE/2, NT50AD, NT50AE, NT50AE2, NT50GS
MAKITA	AF502, AF503, AF505
MAX	NF201/18-35, NF211/18-25/50, NF221/18-5, NF255-ST/18
MILWAUKEE	7150-21, 2746-20 / 21CT
PASLODE	2138-F18II, IM200-F18, T125-F18, T200-F18
PORTER CABLE	BN125A, BN138, BN200A, BN200B, BN200V12
RIDGID	R213BNA
SPOTNAIL	CB1850, WB1850
SENCO	AF25, FP15, FP18/MG, FP25XP, FP2N1, FN55AX, LS4/5, PC0991, SLP20

PLUS MOST OTHER 18 GAUGE STRAIGHT BRAD NAILERS

16GA. GALVANIZED FINISH NAILS



Primary Applications:
Finish Carpentry, Trim, Base, Moldings

Part Number	Size	Description	Qty/Box	Qty/Ctn
B16-34	3/4"	Electro Galvanized	2.5M	10
B16-1	1"	Electro Galvanized	2.5M	10
B16-114	1-1/4"	Electro Galvanized	2.5M	10
B16-112	1-1/2"	Electro Galvanized	2.5M	10
B16-134	1-3/4"	Electro Galvanized	2.5M	10
B16-2	2"	Electro Galvanized	2.5M	10
B16-214	2-1/4"	Electro Galvanized	2.5M	10
B16-212	2-1/2"	Electro Galvanized	2.5M	10

CONSUMER PACKS

B161-1M	1"	Electro Galvanized	1.0M	5
B16114-1M	1-1/4"	Electro Galvanized	1.0M	5
B16112-1M	1-1/2"	Electro Galvanized	1.0M	5
B16112SS-1M	1-1/2"	Stainless Steel (S316)	1.0M	5
B162-1M	2"	Electro Galvanized	1.0M	5
B162SS-1M	2"	Stainless Steel (S316)	1.0M	5
B16212-1M	2-1/2"	Electro Galvanized	1.0M	5
B16212SS-1M	2-1/2"	Stainless Steel (S316)	1.0M	5



ENGINEERED TO FIT:

B&C EAGLE	FN1664
ACCUSET	A250SM
BOSCH	FNS250-16
BOSTITCH	FN16250K-2, FN1664K, GFN1664K, SB-1664FN
CRAFTSMAN	18175, 18176, 18314
DUO-FAST	LFN-764A, SURESHOT 764
DEWALT	D51256K, D51257K, DC612KA, DC613KA, DC616K, DCN662
HITACHI / METABO	NT1865DM, NT1865DMS, NT65A, NT65A2, NT65A3, NT65GS, NT65M, NT65M2
MAX	NF352-ST/16-50
MILWAUKEE	7145-21, 3020-20/21
PASLODE	3200-F16, 3250-F16, IM250II, MU-212F, T250-F16, T250S-F16
PORTER CABLE	FN250A, FN250B, FN250C
RIDGID	R250SFA
SENCO	FINISHPRO 32
SPOTNAIL	FB1632, WB1650

PLUS MOST OTHER 16 GAUGE STRAIGHT FINISH NAILERS

ANGLED FINISH NAILS

SENCO STYLE 35° ANGLE FINISH NAILS



Primary Applications: Finish Carpentry, Trim, Base, Moldings

Part Number	Size	Description	Qty/Box	Qty/Ctn
DA13G	1"	Electro Galvanized	4.0M	5
DA15G	1-1/4"	Electro Galvanized	4.0M	5
DA17G	1-1/2"	Electro Galvanized	4.0M	5
DA19G	1-3/4"	Electro Galvanized	4.0M	4
DA21G	2"	Electro Galvanized	4.0M	4
DA23G	2-1/4"	Electro Galvanized	4.0M	3
DA25G	2-1/2"	Electro Galvanized	4.0M	3

CONSUMER PACKS

DA15-1M	1-1/4"	Bright Smooth Shank	1.0M	5
DA17-1M	1-1/2"	Bright Smooth Shank	1.0M	5
DA17SS-1M	1-1/2"	Stainless Steel (S316)	1.0M	5
DA21-1M	2"	Bright Smooth Shank	1.0M	5
DA21SS-1M	2"	Stainless Steel (S316)	1.0M	5
DA25-1M	2-1/2"	Bright Smooth Shank	1.0M	5
DA25SS-1M	2-1/2"	Stainless Steel (S316)	1.0M	5




ENGINEERED TO FIT:

B&C EAGLE	FN1564
DEWALT	D51275K, D51276K, DC628K
CRAFTSMAN	18177, 18432
DUO-FAST	DAFN-6480
HITACHI / METABO	NT65GA, NT65MA/2/3/4, NT1865DMA/S
MAKITA	AF633
MAX	NF550/16-65
MILWAUKEE	7140-21, 2839-20 / 21CT
PORTER CABLE	DA250B, DA250C
RIDGID	R250AFA
SENCO	AF41, FP35, FP41XP, FP42XP, FN65DA, SFN30, SFN40, SN1

PLUS MOST OTHER 35° ANGLE FINISH NAILERS

BOSTITCH STYLE 25° ANGLE FINISH NAILS



Primary Applications:
Finish Carpentry, Trim, Base, Moldings

Part Number	Size	Description	Qty/Box	Qty/Ctn
BFN-114G	1-1/4"	Electro Galvanized	3.5M	4
BFN-112G	1-1/2"	Electro Galvanized	3.5M	4
BFN-134G	1-3/4"	Electro Galvanized	3.5M	4
BFN-2G	2"	Electro Galvanized	3.5M	3
BFN-214G	2-1/4"	Electro Galvanized	3.5M	3
BFN-212G	2-1/2"	Electro Galvanized	3.5M	3

CONSUMER PACKS

BFN112-1M	1-1/2"	Bright Smooth Shank	1.0M	5
BFN2-1M	2"	Bright Smooth Shank	1.0M	5
BFN212-1M	2-1/2"	Bright Smooth Shank	1.0M	5



ENGINEERED TO FIT:

BOSTITCH	GFN1564K, N60FN, N62FNK-2
MAKITA	AF631, AF632
MAX	NF510/15-50
SPOTNAIL	XBFN64

PLUS MOST OTHER 15GA. 25° ANGLE FINISH NAILERS

PASLODE STYLE 20° ANGLE FINISH NAILS



Primary Applications:
Finish Carpentry, Trim, Base, Moldings

Part Number	Size	Description	Qty/Box	Qty/Ctn
AF16X114	1-1/4"	Electro Galvanized	2.0M	8
AF16X112	1-1/2"	Electro Galvanized	2.0M	8
AF16X134	1-3/4"	Electro Galvanized	2.0M	8
AF16X2	2"	Electro Galvanized	2.0M	8
AF16X212	2-1/2"	Electro Galvanized	2.0M	8

CONSUMER PACKS

AF16X112-1M	1-1/2"	Bright Smooth Shank	1.0M	5
AF16X2-1M	2"	Bright Smooth Shank	1.0M	5
AF16X212-1M	2-1/2"	Bright Smooth Shank	1.0M	5



ENGINEERED TO FIT:

DEWALT	DC614KA, DC614KN, DC615KA, DC618K
DUO-FAST	FLOORMASTER 250BN
HITACHI / METABO	NT65GB
MILWAUKEE	2841-20 / 21CT
PASLODE	IM250A, T250A-F16, 500910, 900600

PLUS MOST OTHER 16GA. 20° ANGLE FINISH NAILERS

MEDIUM CROWN STAPLES

7/16" SENCO STYLE 16GA. MEDIUM CROWN STAPLES



Primary Applications: Cedar Shingles, Fascia and Soffits, Fencing, Floor Underlayment, Furniture, Pallets, Vinyl/Metal Siding, Crate and Box Assembly, Sheathing

Part Number	Size	Crown	Description	Qty/Box
SDM-34	3/4"	7/16"	Electro Galvanized	10.0M
SDM-1	1"	7/16"	Electro Galvanized	10.0M
SDM-114	1-1/4"	7/16"	Electro Galvanized	10.0M
SDM-112	1-1/2"	7/16"	Electro Galvanized	10.0M
SDM112SS-2M	1-1/2"	7/16"	Stainless Steel (S304)	2.0M
SDM-134	1-3/4"	7/16"	Electro Galvanized	10.0M
SDM-2	2"	7/16"	Electro Galvanized	10.0M
SDM2SS-2M	2"	7/16"	Stainless Steel (S304)	2.0M

ENGINEERED TO FIT:

B&C EAGLE	MS1650	MAX	TA551/16-11, TA551A-16-11, TA551/76
DEWALT	D51430	PORTER CABLE	MS200
DUO-FAST	MS-7664E, SM-7664, SM7648	SENCO	SKS N, SNS40, SNS41, SNS44XP, SNS45, SNS45XP, SNS50/XP
HITACHI / METABO	N5008AB, N5008AC(2)	PLUS MOST OTHER	7/16" CRN 16GA. SENCO STYLE STAPLERS

STAPLES

1/2" PASLODE STYLE 16GA. MEDIUM CROWN STAPLES



Primary Applications: Cedar Shingles, Fascia and Soffits, Fencing, Floor Underlayment, Furniture, Pallets, Vinyl/Metal Siding, Crate and Box Assembly, Sheathing

Part Number	Size	Crown	Description	Qty/Box
PM-34	3/4"	1/2"	Electro Galvanized	10.0M
PM-1	1"	1/2"	Electro Galvanized	10.0M
PM-114	1-1/4"	1/2"	Electro Galvanized	10.0M
PM-112	1-1/2"	1/2"	Electro Galvanized	10.0M
PM112SS-2M	1-1/2"	1/2"	Stainless Steel (S304)	2.0M
PM-134	1-3/4"	1/2"	Electro Galvanized	10.0M
PM-2	2"	1/2"	Electro Galvanized	10.0M
PM2SS-2M	2"	1/2"	Stainless Steel (S304)	2.0M

ENGINEERED TO FIT:

B&C EAGLE	MS1650P	HITACHI / METABO	N5010A	PLUS MOST OTHER	1/2" CRN
DEWALT	D51431	PASLODE	3150-S16, 3200-S16P, IM200-S16, SCS200, S200-S16	16GA PASLODE STYLE STAPLERS	

STAPLES

1/2" BOSTITCH STYLE 16GA. MEDIUM CROWN STAPLES



Primary Applications: Cedar Shingles, Fascia and Soffits, Fencing, Floor Underlayment, Furniture, Pallets, Vinyl/Metal Siding, Crate and Box Assembly, Sheathing

Part Number	Size	Crown	Description	Qty/Box
BSM-1	1"	1/2"	Electro Galvanized	10.0M
BSM-114	1-1/4"	1/2"	Electro Galvanized	10.0M
BSM-112	1-1/2"	1/2"	Electro Galvanized	10.0M
BSM-134	1-3/4"	1/2"	Electro Galvanized	10.0M
BSM-2	2"	1/2"	Electro Galvanized	10.0M

ENGINEERED TO FIT:

BOSTITCH	438S4, 538S4, 650S4, 650S4-1, 750S4	GRIZZLY	G6772	PLUS MOST OTHER	1/2" CRN 16GA BOSTITCH STYLE STAPLERS
	T36-1, T38, T40S4, T50S4, T55S4	SPOTNAIL	HL7616A, HL7616AP, MS76-8650I, XS76-8650		
CRAFTSMAN	18410				www.bandceagle.com

STAPLES

WIDE CROWN STAPLES

15/16" PASLODE STYLE 16GA. WIDE CROWN STAPLES



Primary Applications: Roofing, Carton-to-Skid, Cabinets Wire Lathing, Furniture Frames, Butt Joints

Part Number	Size	Crown	Description	Qty/Box
PW-58	5/8"	15/16"	Electro Galvanized	10.0M
PW-78	7/8"	15/16"	Electro Galvanized	10.0M
PW-1	1"	15/16"	Electro Galvanized	10.0M
PW-114	1-1/4"	15/16"	Electro Galvanized	10.0M
PW-112	1-1/2"	15/16"	Electro Galvanized	10.0M

ENGINEERED TO FIT:

HITACHI / METABO N5021A

PASLODE 3150-W16R, 3200-W16, MU-112-W16R

S150-W16R, S200-W16, WCS200

PLUS MOST OTHER 15/16" CRN 16GA. PASLODE STYLE STAPLERS

SPOTNAIL XS2640, XS2650



STAPLES

1" BOSTITCH STYLE 16GA. WIDE CROWN STAPLES



Primary Applications: Roofing, Carton-to-Skid, Cabinets Wire Lathing, Furniture Frames, Butt Joints

Part Number	Size	Crown	Description	Qty/Box
BSW-58	5/8"	1"	Electro Galvanized	10.0M
BSW-34	3/4"	1"	Electro Galvanized	10.0M
BSW-78	7/8"	1"	Electro Galvanized	10.0M
BSW-1	1"	1"	Electro Galvanized	10.0M
BSW-114	1-1/4"	1"	Electro Galvanized	10.0M
BSW-112	1-1/2"	1"	Electro Galvanized	10.0M

ENGINEERED TO FIT:

BOSTITCH 438S2R, 438S2R-1, SW2550, T35-8, T40S2-CT, T50S2-1

PLUS MOST OTHER 1" CRN 16GA. BOSTITCH STYLE STAPLERS

SPOTNAIL HL1612A, HL1616A, HL1620, XS1640, XS1650



STAPLES

1" SENCO STYLE 16GA. WIDE CROWN STAPLES



Primary Applications: Roofing, Carton-to-Skid, Cabinets Wire Lathing, Furniture Frames, Butt Joints

Part Number	Size	Crown	Description	Qty/Box
SDW-34	3/4"	1"	Electro Galvanized	10.0M
SDW-78	7/8"	1"	Electro Galvanized	10.0M
SDW-1	1"	1"	Electro Galvanized	10.0M
SDW-114	1-1/4"	1"	Electro Galvanized	10.0M
SDW-112	1-1/2"	1"	Electro Galvanized	10.0M
SDW-2	2"	1"	Electro Galvanized	10.0M

ENGINEERED TO FIT:

CRAFTSMAN 18415

DUO-FAST KW-1748, RS-1748, SW-1748

HITACHI / METABO N5024A

MAKITA AT2550A

SENCO MWXP, PW, PW150, PW150R, PW2, PW200, SPS

SPOTNAIL XS3640, XS3650

PLUS MOST OTHER 1" CRN 16GA . SENCO STYLE STAPLERS



STAPLES

NARROW CROWN STAPLES

1/4" SENCO STYLE 18GA. NARROW CROWN STAPLES



Primary Applications:
Fascia and Soffits, Molding, Cabinets, Trim,
Case backs, Lattice, Paneling, Drawers,
Spring Attachment-Upholstery

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
9010*	3/8"	1/4"	Electro Galvanized	12.0M	10
9012	1/2"	1/4"	Electro Galvanized	5.0M	10
9015	5/8"	1/4"	Electro Galvanized	5.0M	10
9018	3/4"	1/4"	Electro Galvanized	5.0M	10
9022	7/8"	1/4"	Electro Galvanized	5.0M	10
9025	1"	1/4"	Electro Galvanized	5.0M	10
9025SS	1"	1/4"	S304 Stainless Steel	5.0M	10
9028	1-1/8"	1/4"	Electro Galvanized	5.0M	10
9032	1-1/4"	1/4"	Electro Galvanized	5.0M	10
9038	1-1/2"	1/4"	Electro Galvanized	5.0M	10

CONSUMER PACKS

9018-1M	3/4"	1/4"	Electro Galvanized	1.0M	5
9025-1M	1"	1/4"	Electro Galvanized	1.0M	5
9032-1M	1-1/4"	1/4"	Electro Galvanized	1.0M	5
9038-1M	1-1/2"	1/4"	Electro Galvanized	1.0M	5



ENGINEERED TO FIT:

B&C EAGLE NS1840L, NS1840-II
DEWALT D51420K, D51422K
DUO-FAST SURESHOT 1848
HITACHI / METABO N3804AB3, N3804AB, N3804AB2
MAKITA AT638
MAX TA238/18-6
MILWAUKEE 7155-21, 2749-20 / 21CT
PORTER CABLE NS100A, NS150A, NS150B
RIDGID R150FSA
SENCO SKS-L, SLS18, SLS20, SLS25XP
 (*) Verify compatibility with your tools operation manual
PLUS MOST OTHER 1/4" CRN 18GA. SENCO STYLE STAPLERS

7/32" BOSTITCH STYLE 18GA. NARROW CROWN STAPLES



Primary Applications:
Fascia and Soffits, Molding, Cabinets, Trim,
Case backs, Lattice, Paneling, Drawers,
Spring Attachment-Upholstery

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
SX5035-12	1/2"	7/32"	Electro Galvanized	5.0M	10
SX5035-58	5/8"	7/32"	Electro Galvanized	5.0M	10
SX5035-34	3/4"	7/32"	Electro Galvanized	5.0M	10
SX5035-78	7/8"	7/32"	Electro Galvanized	5.0M	10
SX5035-1	1"	7/32"	Electro Galvanized	5.0M	10
SX5035-118	1-1/8"	7/32"	Electro Galvanized	5.0M	10
SX5035-1316	1-3/16"	7/32"	Electro Galvanized	5.0M	10
SX5035-138	1-3/8"	7/32"	Electro Galvanized	5.0M	10



ENGINEERED TO FIT:

BOSTITCH S32SX, SB-2IN1, SB150SX, SB156SX, SX150-BHF, SX150K-1
 SX150K-2, SX1838K, T28-5, T29-30, T31, T35-15, T40SX-CT
PLUS MOST OTHER 7/32" CRN 18GA. BOSTITCH STYLE STAPLERS



FINE WIRE STAPLES

5000 SERIES STAPLES



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
508C	1/4"	1/2"	Electro Galvanized	5.0M	20
5010C	5/16"	1/2"	Electro Galvanized	5.0M	20
5012C	3/8"	1/2"	Electro Galvanized	5.0M	20
5016C	1/2"	1/2"	Electro Galvanized	5.0M	15
5018C	9/16"	1/2"	Electro Galvanized	5.0M	15

ENGINEERED TO FIT:

B&C EAGLE US5016LMA, HT-550, HT-550H

OMER OMER 50.16, 50.16 CL/CLV/OC/RB/S/SCL/SL

DUO-FAST CS5000, EWC-5018A, HT-550C

PREBENA D-10

SURE SHOT 5020 DALF, SURE SHOT 5020S

SPOTNAIL BS5016AF, DS5016, JS5016

FASCO F1B-5016

PLUS MOST OTHER 5000 SERIES FINE WIRE STAPLERS & HAMMER TACKERS



6 49853 05010 9

B&C Eagle
(c) 2025

HAMMER TACKER STAPLES
1/2" CROWN x 5/16" LEG
GALVANIZED
5010C
5.0M/BOX

Made in China

STAPLES

A11 T-50 SERIES STAPLES



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
A11-14C	1/4"	3/8"	Electro Galvanized	5.0M	20
A11-516C	5/16"	3/8"	Electro Galvanized	5.0M	20
A11-38C	3/8"	3/8"	Electro Galvanized	5.0M	20
A11-12C	1/2"	3/8"	Electro Galvanized	5.0M	20
A11-916C	9/16"	3/8"	Electro Galvanized	5.0M	20

ENGINEERED TO FIT:

B&C EAGLE US1116LMA, HT-11, HT-11H

FASCO F1BA11-16

ARROW HT-50 ,091-T50PBN ,T50 ,T55C

PREBENA HHPF09-S90

CRAFTSMAN C3

RAPID A-11

DUO-FAST SLAPSHOP

STANLEY PHT150C ,TRE550 ,TRE50

PLUS MOST OTHER A11/T-50 SERIES STAPLERS & HAMMER TACKERS



6 49853 30003 7

B&C Eagle
(c) 2025

HAMMER TACKER STAPLES
3/8" CROWN x 5/16" LEG
GALVANIZED
A11-516C
5.0M/BOX

Made in China

STAPLES

A19 SERIES STAPLES



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
A19-14	1/4"	3/8"	Electro Galvanized	5.0M	50

ENGINEERED TO FIT:

RAPID R19, A-19

UNICATCH UA1

PLUS MOST OTHER A19 SERIES FINE WIRE STAPLERS & HAMMER TACKERS



6 49853 30009 9

B&C Eagle
(c) 2025

HAMMER TACKER STAPLES
3/8" CROWN x 1/4" LEG
GALVANIZED
A19-14
5.0M/BOX

Made in China

STAPLES

STCR2619 SERIES STAPLES



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
STCR2619-14	1/4"	7/16"	Electro Galvanized	5.0M	50
STCR2619-516	5/16"	7/16"	Electro Galvanized	5.0M	50
STCR2619-38	3/8"	7/16"	Electro Galvanized	5.0M	50

ENGINEERED TO FIT: BOSTITCH H30-6, T5-6, P6C-6

PLUS MOST OTHER STCR2619 SERIES STAPLERS & HAMMER TACKERS

STCR5019 SERIES STAPLES



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
STCR5019-14	1/4"	7/16"	Electro Galvanized	5.0M	20
STCR5019-38	3/8"	7/16"	Electro Galvanized	5.0M	20
STCR5019-12	1/2"	7/16"	Electro Galvanized	4.0M	20

ENGINEERED TO FIT: BOSTITCH H30-8, P6C-6, PC1000, PC2K, PC4000, PC5000, T5-8, T6-8

PLUS MOST OTHER STCR5019 SERIES STAPLERS & HAMMER TACKERS

22 GAUGE 71 SERIES STAPLES



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
71/06	1/4"	3/8"	Electro Galvanized	10.0M	20
71/06SS-10M	1/4"	3/8"	Stainless Steel (S304)	10.0M	20
71/08	5/16"	3/8"	Electro Galvanized	10.0M	20
71/10	3/8"	3/8"	Electro Galvanized	10.0M	20
71/12	1/2"	3/8"	Electro Galvanized	10.0M	20

ENGINEERED TO FIT:

B&C EAGLE US7116LMA BEA 71 SERIES FASCO F1B7C-16
PORTER CABLE US58 SENCO SFW10XP-C SPOTNAIL DS7116, JS7116

PLUS MOST OTHER 71 SERIES FINE WIRE STAPLERS & HAMMER TACKERS

20 GAUGE 80 SERIES STAPLES



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding, Insulation

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
80/6 NR SS	1/4"	1/2"	Stainless Steel (S304)	10.0M	20
8008	5/16"	1/2"	Electro Galvanized	10.0M	20
8010	3/8"	1/2"	Electro Galvanized	10.0M	20
80/10 NR SS	3/8"	1/2"	Stainless Steel (S304)	20.0M	8
8012	1/2"	1/2"	Electro Galvanized	6.0M	18
80/12 NR SS	1/2"	1/2"	Stainless Steel (S304)	15.0M	8

ENGINEERED TO FIT:

B&C EAGLE US8016LMA BEA BA-T400, JK 21-680 BOSTITCH 21680B-ALM FASCO F1B-8016

PLUS MOST OTHER 80 SERIES STAPLERS AND HAMMER TACKERS



B&C Eagle
(c) 2025

HAMMER TACKER STAPLES
7/16" CROWN x 3/8" LEG
POWER CROWN GALV.

STCR2619-38

Made in China

5.0M/BOX

S
T
A
P
L
E
S



B&C Eagle
(c) 2025

HAMMER TACKER STAPLES
7/16" CROWN x 1/4" LEG
POWER CROWN GALV.

STCR5019-14

Made in China

5.0M/BOX

S
T
A
P
L
E
S



B&C Eagle
(c) 2025

22 GAUGE FINE WIRE
3/8" CROWN x 3/8" LEG
GALVANIZED

71/10

Made in China

10.0M/BOX

S
T
A
P
L
E
S



B&C Eagle
(c) 2025

21 GAUGE FINE WIRE
1/2" CROWN x 5/16" LEG
GALVANIZED

8008

Made in China

10.0M/BOX

S
T
A
P
L
E
S

20GA 97 SERIES FLOORING



Primary Applications:
Laminate Hardwood Flooring

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
97/25	1"	3/16"	Electro Galvanized	5M	20

ENGINEERED TO FIT:

BOSTITCH LHF97/25-2, LHF2025K PORTA NAILS 475
BEA 97/25-550

PLUS MOST OTHER 97 SERIES FLOORING STAPLERS



B&C Eagle
(c) 2025

20 GAUGE FLOOR STAPLES
3/16" CROWN x 1" LEG
GALVANIZED

97/25

Made in China **5.0M/BOX**

STAPLES

15GA 1/2" CROWN FLOOR STAPLES



Primary Applications:
Hardwood Flooring

Part Number	Size	Crown	Description	Qty/Box
BCS-1512	1-1/2"	1/2"	Electro Galvanized	10.0M
BCS-1514	1-3/4"	1/2"	Electro Galvanized	5.0M
BCS-1516	2"	1/2"	Electro Galvanized	5.0M


CONSUMER PACKS

ABCS-1516	2"	1/2"	Electro Galvanized	1.0M
-----------	----	------	--------------------	------

ENGINEERED TO FIT:

APACH MFS-50	GRIZZLY H5977
BESCO MFS 50	HIGHPRO FS50
BOSTITCH MIIIFS	HITACHI / METABO N5009AF
DUO-FAST FM 200-S	PORTA NAILS 472
EAGLE FS-50	POWERNAIL 445FS
GREX MS1250	PRIMATECH P220, P260
GRIP-RITE GR200FS	SPOTNAIL FS7550, MS7564

PLUS MOST OTHER 1/2" CRN 15GA. FLOORING STAPLERS




B&C Eagle
(c) 2025

15 GAUGE FLOOR STAPLES
1/2" CROWN x 2" LEG
GALVANIZED

BCS-1516

ENGINEERED TO FIT:

APACH MFS-50		HIGHPRO FS50
BESCO MFS 50		HITACHI N5009AF
BOSTITCH MIIIFS		PORTA-NAILS 472
DUO-FAST FM 200-S		POWERNAIL 445FS
EAGLE FS-50		PRIMATECH P220
GREX MS1250		PRIMATECH P260
GRIP-RITE GR200FS		SPOTNAIL FS7550
GRIZZLY H5977	SPOTNAIL MS7564	SUPCO SFS

Made in China **5.0M/BOX**

STAPLES

FLOORING L-CLEATS



Primary Applications:
Hardwood Flooring

Part Number	Size	Description	Qty/Box	Qty/Ctn
LC-112	1-1/2"	Electro Galvanized	1.0M	14
LC-134	1-3/4"	Electro Galvanized	1.0M	12
LC-2	2"	Electro Galvanized	1.0M	10

ENGINEERED TO FIT:

BESCO MFN 50	HIGHPRO LFN50
BOSTITCH MFN200, MFN201, MIIIFN	PORTA-NAILS 470
DUO-FAST FM 200-C	PORTER CABLE FCN200
EAGLE LFN-50	POWERNAIL 445, 45R
GRIP-RITE GR200LCN	PRIMATECH H330, P210, P240
GRIZZLY H7826	SENCO SHF15, SHF50

PLUS MOST OTHER L-CLEAT FLOORING NAILERS



B&C Eagle
(c) 2025

L-CLEAT FLOORING NAILS
16GA. x 2" LENGTH
GALVANIZED

LC-2

Made in China **1.0M/BOX**

NAILS

COLLATED SCREWS

B&C Eagle collated screws are engineered to fit most collated screw tools from manufacturers such as:

DuraSpin, Grabber, Hilti, Hitachi, Makita, Milwaukee, Pam, Senco, Tyrex and more. Please consult your owner's manual for length and bit requirements.

PREMIUM EXTERIOR SCREWS 1000hr E-COAT

Coated by PPG Industries



Type-17
Point

#2 Square



B&C Eagle collated exterior wood screws are used for a wide variety of interior and exterior applications from decking to flooring. They use a #2 square bit to reduce bit stripping and a sharp Type-17 point for easy starting and effortless drilling. These screws are coated by PPG Industries with a Grey Electro-Polyseal coating. PPG Industries Electro-Polyseal coating is superior to other types of coating because it allows for a thinner coat while still maintaining over 1,000 hours of salt spray protection. The thinner coating provided by PPG also eliminates recess and thread fill so you know your bit will always fit securely. The coating is extremely durable in all-weather applications and will not chip or rub off. PPG coating is rated for use in treated lumber. Each strip contains 50 screws.

Primary Applications: General Purpose Exterior Wood to Wood, Dock and Deck, Fence

Part Number	Size	Description	Qty/Box
CS8X212EXT	#8 x 2-1/2"	PPG Premium 1000hr E-Coat	1.0M
CS8X3EXT	#8 x 3"	PPG Premium 1000hr E-Coat	1.0M



COLLATED SUBFLOOR SCREWS YELLOW ZINC COATED

#2 Square
or
T-25 Star

Type-17
Point



B&C Eagle yellow zinc subfloor screws are mainly used for flooring and general construction purposes. The Yellow Zinc coating provides a small amount of corrosion protection but is recommended for interior use only where little moisture will be present. These screws use a #2 square bit to reduce bit stripping and a Type-17 point for easy starting and quick effortless drilling. For use in wood to wood applications only, not for use in treated lumber. Each strip contains 50 screws.

Primary Applications: Interior Wood to Wood, Subfloor

Part Number	Size	Head	Description	Qty/Box
CS8X134YZ	#8 x 1-3/4"	#2 Square	Yellow Zinc	1.0M
CS8X2YZ	#8 x 2"	#2 Square	Yellow Zinc	1.0M
CS8X212YZ	#8 x 2-1/2"	#2 Square	Yellow Zinc	1.0M

COLLATED FINE/COARSE DRYWALL SCREWS

#2 Phillips

Type-A
Point



B&C Eagle collated drywall screws have a sharp Type-A point for quick starting and effortless drilling. These screws are for interior use only and should not be used in treated lumber. Each strip contains 50 screws.

Primary Applications: Drywall to Wood (Coarse thread), Sheet metal (Fine thread), General Construction

Part Number	Size	Description	Qty/Box
CS6X114DW	#6 x 1-1/4"	Phosphate Coated Coarse	1.0M
CS6X114DWFT	#6 x 1-1/4"	Phosphate Coated Fine Thread	1.0M
CS6X158DW	#6 x 1-5/8"	Phosphate Coated Coarse	1.0M
CS6X158DWFT	#6 x 1-5/8"	Phosphate Coated Fine Thread	1.0M

PNEUMATIC TOOLS

The B&C Eagle SN22160 timber nailer (below) shoots nails from 4" to 6-1/4"! Stop pounding the nails yourself and checkout this new tool. American Fastening System now also carries a full line of compatible fasteners.



**INCLUDES
TOOL OIL, WRENCH
GLASSES, 1/4" FITTING**

SN22160

Features

- Uses 4" - 6-1/4" nails listed
- Front facing exhaust
- Comfortable rubber grip
- High capacity top load magazine
- Tool free adjustable depth of drive
- Side handle for stability

Specifications

- Weight: 15.1lbs • Dimensions (LxHxW): 22.4" x 5.7" x 21.2" • Operating Pressure: 80-120psi • Fastener Capacity: 56


B&C EAGLE 22° TIMBER FRAMING NAILS				
Part Number	Size	Shank	Description	Qty/Box
4X148HDR/22	4"	.148	Hot Dip Galv. Ring Shank	1.8M
4X148R/22	4"	.148	Bright Ring Shank	1.8M
412X148R/22	4-1/2"	.148	Bright Ring Shank	1.8M
518X148/22	5-1/8"	.148	Bright Smooth Shank	1.8M
518X148HDS/22	5-1/8"	.148	Hot Dip Galv. Screw Shank	1.8M
518X148S/22	5-1/8"	.148	Bright Screw Shank	1.8M
614X162/22	6-1/4"	.162	Bright Smooth Shank	1.0M
614X162HDS/22	6-1/4"	.162	Hot Dip Galv. Screw Shank	1.0M
614X162S/22	6-1/4"	.162	Bright Screw Shank	1.0M

Primary Applications:
Pole building
Timber framing

CN75 — 15° COIL SIDING / FRAMING NAILER



**INCLUDES
TOOL OIL, WRENCH
GLASSES, 1/4" FITTING**



Features

- Uses plastic and wire coil nails (See pg. 7 & 8)
- Tool free adjustable depth of drive
- Selectable Bump Fire & Sequential Fire Mode
- Contoured rubber comfort grip handle
- Adjustable exhaust deflector (tool free 360°)
- No mar tip, Easy loading magazine
- Lightweight magnesium housing


Specifications

- Weight: 6.4lbs • Dimensions (LxHxW): 12.2" x 12.4" x 5.2"
- Operating Pressure: 80-120psi • Fastener Capacity: 200-300

CN90F — 15° COIL FRAMING NAILER



**INCLUDES
TOOL OIL, WRENCH
GLASSES, 1/4" FITTING**




Features

- Uses wire coil nails (See pg. 7, orange label)
- Tool free adjustable depth of drive
- Selectable trigger for sequential or contact trip fire
- No mar tip, Belt hook, Rubber comfort grip handle
- Adjustable exhaust deflector (tool free 360°)
- Open nose for easy jam clear
- Lightweight magnesium housing

Specifications

- Weight: 6.7lbs • Dimensions (LxHxW): 15.2" x 14.5" x 5.6"
- Operating Pressure: 80-120psi • Fastener Capacity: 150-300

SN3490 — 33° PAPER TAPE FRAMING NAILER




Features

- Uses red label paper tape nails (See pg. 5)
- Rear load magazine / Stowable rafter hook
- Selectable trigger for sequential or contact trip fire
- Built in air filter / Lightweight aluminum housing
- Tool free adjustable depth of drive / Toe nail safety
- Adjustable exhaust deflector (tool free 360°)

Specifications

- Weight: 7.7lbs • Dimensions (LxHxW): 18.9" x 13.3" x 4.9"
- Operating Pressure: 80-120psi • Fastener Capacity: 90

SN3483 — 33° PAPER TAPE FRAMING NAILER




Features

- Uses red label paper tape nails (See pg. 5)
- Rear load magazine / Hardened end cap
- Single trigger mode for simple operation
- One piece safety mechanism
- Built in air filter / Lightweight aluminum housing
- Hardened end cap for lasting durability

Specifications

- Weight: 7.9lbs • Dimensions (LxHxW): 17.4" x 13.3" x 4.25"
- Operating Pressure: 80-120psi • Fastener Capacity: 84

SN22/83H — 22° PLASTIC STRIP FRAMING NAILER



Features

- Uses green label plastic strip nails (See pg. 6)
- Rear load magazine / Hardened end cap
- Single trigger mode for simple operation
- One piece safety mechanism
- Upgraded heavy duty nail follower spring
- Built in air filter / Lightweight aluminum housing
- Hardened end cap for lasting durability

Specifications

- Weight: 7.9lbs • Dimensions (LxHxW): 20.6" x 13.3" x 4.25"
- Operating Pressure: 80-120psi • Fastener Capacity: 64

MC150 — HEAVY DUTY JOIST HANGER NAILER




Features

- Uses red label paper tape joist hanger nails (See pg. 5)
- Compact design
- Full comfort grip
- Rear loading magazine
- Low nail lockout
- Exposed nail tip for easy placement
- Lightweight magnesium housing

Specifications

- Weight: 5.0lbs • Dimensions (LxHxW): 12.8" x 10.5" x 4.7"
- Operating Pressure: 80-120psi • Fastener Capacity: 30

MS1650 — 16GA. MEDIUM 7/16" CROWN STAPLER




Features

- Uses red label medium crown staples (See pg. 12)
- Rubber comfort grip
- Top loading magazine
- Adjustable exhaust deflector (tool free 360°)
- Quick clear nose
- Lightweight magnesium housing

Specifications

- Weight: 4.5lbs • Dimensions (LxHxW): 14.4" x 10.6" x 3.1"
- Operating Pressure: 80-120psi • Fastener Capacity: 140

MS1650P — 16GA. MEDIUM 1/2" CROWN STAPLER




Features

- Uses blue label medium crown staples (See pg. 12)
- Rubber comfort grip
- Top loading magazine
- Adjustable exhaust deflector (tool free 360°)
- Quick clear nose
- Lightweight magnesium housing

Specifications

- Weight: 4.5lbs • Dimensions (LxHxW): 14.4" x 10.6" x 3.1"
- Operating Pressure: 80-120psi • Fastener Capacity: 140

CN45R — 15° COIL ROOFING NAILER




Features

- Uses purple label coil roofing nails (See pg. 8)
- Built in air filter / Tool free adjustable depth of drive
- Selectable trigger for sequential or contact trip fire
- Patented nail guide assures straight fastener driving
- Carbide inserts in nose for long life performance
- Adjustable exhaust deflector (tool free 360°)
- Casting Wear Protection with anti-skid pads
- Open nose for easy jam clearing
- Lightweight magnesium housing

Specifications

- Weight: 4.8lbs • Dimensions (LxHxW): 11.6" x 10.8" x 4.5"
- Operating Pressure: 80-120psi • Fastener Capacity: 120

CN65SP — 15° SIDING NAILER, WIRE & PLASTIC




Features

- Uses plastic and wire coil nails (See pg. 7 & 8)
- Tool free adjustable depth of drive
- Selectable trigger for sequential or contact trip fire
- No mar tip
- Belt Hook
- Rubber comfort grip handle
- Adjustable exhaust deflector (tool free 360°)
- Open nose for easy jam clear
- Lightweight magnesium housing

Specifications

- Weight: 4.6lbs • Dimensions (LxHxW): 10.5" x 12" x 5"
- Operating Pressure: 80-120psi
- Fastener Capacity: 200 plastic coil / 400 wire coil

BN1855 — 18 GAUGE STRAIGHT BRAD NAILER




Features

- Uses green label 18 gauge brad nails (See pg. 10)
- Tool free adjustable depth of drive
- Fastener sight gauge
- Selectable trigger for sequential or contact trip fire
- Rear exhaust with built in muffler
- Quick clear nose / Belt hook
- Contoured rubber comfort grip
- Lightweight aluminum housing
- Plastic carry case

Specifications

- Weight: 2.5lbs • Dimensions (LxHxW): 9.4" x 9.75" x 2.75"
- Operating Pressure: 80-120psi • Fastener Capacity: 100

FN1664 — 16 GAUGE STRAIGHT FINISH NAILER




Features

- Uses blue label 16 gauge finish nails (See pg. 10)
- Tool free adjustable depth of drive
- Selectable trigger for sequential or contact trip fire
- No mar tip / Belt hook
- Lightweight aluminum housing
- Adjustable exhaust deflector (tool free 360°)
- Quick clear nose for easy jam clearing
- Rear load magazine / Plastic carry case

Specifications

- Weight: 3.7lbs • Dimensions (LxHxW): 11.8" x 11" x 2.9"
- Operating Pressure: 80-120psi • Fastener Capacity: 100

FN1564 — 15 GAUGE ANGLE FINISH NAILER




Features

- Uses black label 15GA angle finish nails (See pg. 11)
- Tool free adjustable depth of drive
- Selectable trigger for sequential or contact trip fire
- No mar tip / Belt hook
- Lightweight magnesium housing
- Adjustable exhaust deflector (tool free 360°)
- Quick clear nose for easy jam clearing
- Rear load magazine
- Plastic carry case

Specifications

- Weight: 4.0lbs • Dimensions (LxHxW): 13.7" x 12.3" x 3.3"
- Operating Pressure: 80-120psi • Fastener Capacity: 100

NS1840-II — 1/4" NARROW CROWN STAPLER




Features

- Uses grey label 18GA 1/4" CRN staples (See pg. 14)
- Tool free adjustable depth of drive
- Fastener sight gauge
- Selectable trigger for sequential or contact trip fire
- Rear exhaust with built in muffler
- Plastic carry case
- Contoured rubber comfort grip / Belt hook
- Lightweight aluminum housing

Specifications

- Weight: 2.6lbs • Dimensions (LxHxW): 10.3" x 9.6" x 2.2"
- Operating Pressure: 80-120psi • Fastener Capacity: 140

HP2335 — 23 GAUGE HEADLESS PINNER



Features

- Uses 23 gauge pins (call for availability)
- Side load magazine
- No mar tip
- Built in air filter
- Comfortable rubber grip
- Lightweight aluminum housing

Specifications

- Weight: 2.0lbs • Dimensions (LxHxW): 9.5" x 6.4" x 1.7"
- Operating Pressure: 70-120psi • Fastener Capacity: 100

HT-550 — 5000 SERIES HAMMER TACKER



Features

- Uses 1/2" crown 5000 series staples (See pg. 15)
- Quick Loading Magazine / Tool free jam clearing
- Comfortable rubber grip / Balanced Engineered

Specifications

- Weight: 1.9lbs • Dimensions (Length): 12"
- Fastener Capacity: 168 (Approx.)

HT-550H — 5000 SERIES HD HAMMER TACKER



Features

- Uses 1/2" crown 5000 series staples (See pg. 15)
- Quick Loading Magazine / Tool free jam clearing
- Comfortable rubber grip / Balanced Engineered
- Heavy Duty Construction

Specifications

- Weight: 2.3lbs • Dimensions (Length): 12"
- Fastener Capacity: 168 (Approx.)

HT-11 — A11/T-50 SERIES HAMMER TACKER



Features

- Uses 3/8" crown A11/T-50 staples (See pg. 15)
- Quick Loading Magazine / Tool free jam clearing
- Comfortable rubber grip / Balanced Engineered

Specifications

- Weight: 1.9lbs • Dimensions (Length): 12"
- Fastener Capacity: 168 (Approx.)



LMA—LONG MAG AUTO FIRE STAPLERS



Features

- Extra long magazine holds more fasteners
- Variable speed auto fire
- Bottom load magazine, Built in air filter
- Comfortable rubber grip, lightweight aluminum housing

Specifications

- Weight: 3.0lbs
- Dimensions (LxHxW): 15" x 1.6" x 6.4"
- Operating Pressure: 70-120psi
- Fastener Capacity: 204 — 230

US1116LMA—A11 SERIES 1/4" to 9/16"



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
A11-14C	1/4"	3/8"	Electro Galvanized	5.0M	20
A11-516C	5/16"	3/8"	Electro Galvanized	5.0M	20
A11-38C	3/8"	3/8"	Electro Galvanized	5.0M	20
A11-12C	1/2"	3/8"	Electro Galvanized	5.0M	20
A11-916C	9/16"	3/8"	Electro Galvanized	5.0M	20

US5016LMA—5000 SERIES 1/4" to 9/16"



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
508C	1/4"	1/2"	Electro Galvanized	5.0M	20
5010C	5/16"	1/2"	Electro Galvanized	5.0M	20
5012C	3/8"	1/2"	Electro Galvanized	5.0M	20
5016C	1/2"	1/2"	Electro Galvanized	5.0M	15
5018C	9/16"	1/2"	Electro Galvanized	5.0M	15

US7116LMA—71 SERIES 1/4" to 5/8"



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
71/06	1/4"	3/8"	Electro Galvanized	10.0M	20
71/06SS-10M	1/4"	3/8"	Stainless Steel (S304)	10.0M	20
71/08	5/16"	3/8"	Electro Galvanized	10.0M	20
71/10	3/8"	3/8"	Electro Galvanized	10.0M	20
71/12	1/2"	3/8"	Electro Galvanized	10.0M	20

US8016LMA—80 SERIES 1/4" to 5/8"



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding, Insulation

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
80/6 NR SS	1/4"	1/2"	Stainless Steel (S304)	10.0M	20
8008	5/16"	1/2"	Electro Galvanized	10.0M	20
8010	3/8"	1/2"	Electro Galvanized	10.0M	20
80/10 NR SS	3/8"	1/2"	Stainless Steel (S304)	20.0M	8
8012	1/2"	1/2"	Electro Galvanized	6.0M	18
80/12 NR SS	1/2"	1/2"	Stainless Steel (S304)	15.0M	8

We offer a wide range of screws in 1lb and 5lb buckets, along with bulk boxes. We have planogram offerings from 4ft to 16ft ready to ship. We can tailor any WoodPro planogram for each unique market. If a specific fastener does not perform well in your market, we'll fill the planogram with a fastener that does. Our packaging has a bright full color label and transparent plastic so your customers know what's in the bucket before they make a purchase.



PPG E-COAT, WHY IT'S BETTER

PPG E-Coat is superior to other types of coating because it allows for a thinner coat while still maintaining over 1,000 hours of salt spray protection. The thinner coating provided by PPG also eliminates recess and thread fill so you know your bit will always fit securely. The coating is extremely durable in all weather applications and will not chip or rub off. PPG coating is rated for use in treated lumber.



Coated By PPG Industries





All WoodPro bits are 50mm and are offered in 2-packs, 100-packs or a 5 piece multi pack with plastic holder.

COLOR	SIZE	2-PACK PART#	100-PACK PART#
GOLD	T-10	BIT-T10X50GLD	BIT-T10X50-100P
RED	T-15	BIT-T15X50RED	BIT-T15X50-100P
PURPLE	T-20	BIT-T20X50PUR	BIT-T20X50-100P
GREEN	T-25	BIT-T25X50GRE	BIT-T25X50-100P
BLACK	T-30	BIT-T30X50BLK	BIT-T30X50-100P
ALL	1 EA	BIT-50MM-5PK	

ALL PURPOSE SCREWS (INTERIOR/EXTERIOR)



WoodPro All Purpose Screws are coated by PPG Industries with a superior 1,000 hour Electro-Polyseal coating for consistent layering that prevents recess fill while offering superior corrosion protection. The secure STAR drive helps reduce bit slippage and a sharp Type-17 point provides quick starting and effortless drilling. Special nibs under the head provide a clean countersink in all types of material. For interior and exterior use.

SIZE	BIT	POINT	COLOR	1LB SKU	5LB SKU	BULK SKU
#8 x 1-1/4"	#20 Star	Type-17	Golden	AP8X114-1	AP8X114-5	AP8X114-5M
#8 x 1-1/2"	#20 Star	Type-17	Golden	AP8X112-1	AP8X112-5	AP8X112-5M
#9 x 1-1/2"	#25 Star	Type-17	Golden	AP9X112-1	AP9X112-5	AP9X112-2M
#9 x 1-1/2"	#25 Star	Type-17	S316 Stainless	APSS9X112-1	N/A	N/A
#8 x 2"	#20 Star	Type-17	Golden	AP8X2-1	AP8X2-5	AP8X2-3.5M
#9 x 2"	#25 Star	Type-17	Golden	AP9X2-1	AP9X2-5	AP9X2-2M
#9 x 2"	#25 Star	Type-17	S316 Stainless	APSS9X2-1	N/A	N/A
#9 x 2-1/2"	#25 Star	Type-17	Golden	AP9X212-1	AP9X212-5	AP9X212-2M
#9 x 2-1/2"	#25 Star	Type-17	S316 Stainless	APSS9X212-1	N/A	N/A
#10 x 2-1/2"	#25 Star	Type-17	Golden	N/A	AP10X212-5	AP10X212-1.5M
#9 x 2-3/4"	#25 Star	Type-17	Golden	AP9X234-1	AP9X234-5	AP9X234-2M
#9 x 3-1/8"	#25 Star	Type-17	Golden	AP9X318-1	AP9X318-5	AP9X318-1M
#10 x 3-1/8"	#25 Star	Type-17	Golden	N/A	AP10X318-5	AP10X318-1M
#10 x 3-1/8"	#25 Star	Type-17	S316 Stainless	APSS10X318-1	N/A	N/A
#9 x 3-1/2"	#25 Star	Type-17	Golden	AP9X312-1	AP9X312-5	AP9X312-1M
#10 x 3-1/2"	#25 Star	Type-17	Golden	N/A	AP10X312-5	AP10X312-1M
#10 x 4"	#25 Star	Type-17	Golden	AP10X4-1	AP10X4-5	AP10X4-1M

LONG ALL PURPOSE (INTERIOR/EXTERIOR)



SIZE	Bit	POINT	COLOR	50 Piece SKU	BULK SKU
#10 x 4-3/4"	#25 Star	Type-17	Golden	AP10X434-50	AP10X434-800
#12 x 5-5/8"	#25 Star	Type-17	Golden	AP12X558-50	AP12X558-600
#12 x 6-3/8"	#25 Star	Type-17	Golden	AP12X638-50	AP12X638-1M
#12 x 7-1/4"	#25 Star	Type-17	Golden	AP12X714-50	N/A
#12 x 8"	#25 Star	Type-17	Golden	AP12X8-50	N/A
#12 x 10"	#25 Star	Type-17	Golden	AP12X10-50	N/A
#12 x 12"	#25 Star	Type-17	Golden	AP12X12-50	N/A

CABINET SCREWS (INTERIOR/EXTERIOR)



WoodPro Cabinet Screws are coated by PPG Industries with a superior 1,000 hour Electro-Polyseal coating for consistent layering that prevents recess fill while offering superior corrosion protection. The secure STAR drive helps reduce bit slippage and a sharp Type-17 point provides quick starting and effortless drilling.

SIZE	BIT	POINT	COLOR	1LB SKU	5LB SKU	BULK SKU
#8 x 1-3/4"	#20 Star	Type-17	Golden	CB8X134-1	CB8X134-5	N/A
#8 x 2-3/4"	#20 Star	Type-17	Golden	CB8X234-1	CB8X234-5	N/A
#8 x 3-1/8"	#20 Star	Type-17	Golden	CB8X318-1	CB8X318-5	N/A

WASHER HEAD SCREWS (INTERIOR/EXTERIOR)



WoodPro Washer Head Screws are building code compliant and can be used in a wide variety of interior and exterior applications. The 1,500 hour Electro-Polyseal coating by PPG Industries eliminates recess fill and offers industry leading corrosion protection. It is rated for use in ACQ and other treated lumber. The secure STAR drive helps reduce bit slippage and a sharp Type-17 point with a patented ASTER thread provides quick starting and effortless drilling.



CCRR-0350
Control No. 5018255
Certified To. ICC-ES AC 233 & ICC-ES AC 257
Refer to the Intertek Directory of Building Products
(<https://bpdirectory.intertek.com>) for detailed information.

SIZE	BIT	POINT	COLOR	25/50PC SKU	250PC SKU
1/4 X 1-1/2"	#25 Star	Type-17	Golden	ST14X112-50PC	ST14X112B
1/4 X 2"	#25 Star	Type-17	Golden	ST14X2-50PC	ST14X2B
1/4 X 2-1/2"	#25 Star	Type-17	Golden	ST14X212-50PC	ST14X212B
1/4 X 3-1/8"	#25 Star	Type-17	Golden	ST14X318-50PC	ST14X318B
1/4 X 3-1/2"	#25 Star	Type-17	Golden	ST14X312-50PC	ST14X312B
5/16 X 2-1/2"	#30 Star	Type-17	Golden	ST516X212-25PC	ST516X212B
5/16 X 3-1/8"	#30 Star	Type-17	Golden	ST516X318-25PC	ST516X318B
5/16 X 3-1/2"	#30 Star	Type-17	Golden	ST516X312-25PC	ST516X312B
5/16 X 4"	#30 Star	Type-17	Golden	ST516X4-25PC	ST516X4B
5/16 X 5-1/8"	#30 Star	Type-17	Golden	ST516X518-25PC	ST516X518B
5/16 X 6"	#30 Star	Type-17	Golden	ST516X6-25PC	ST516X6B
3/8 X 7-1/4"	#30 Star	Type-17	Golden	ST38X714-25PC	ST38X714B
3/8 X 8"	#30 Star	Type-17	Golden	ST38X8-25PC	ST38X8B
3/8 X 10"	#30 Star	Type-17	Golden	ST38X10-25PC	ST38X10B

TRIM HEAD SCREWS (INTERIOR/EXTERIOR)



WoodPro Trim Head Screws are coated by PPG Industries with a superior 1,000 hour Electro-Polyseal coating for consistent layering that prevents recess fill while offering superior corrosion protection. The secure STAR drive helps reduce bit slippage and a sharp Type-17 point provides quick starting and effortless drilling. The small head and thin shank are designed to prevent mushrooming and help conceal the fastener. For interior and exterior use.

SIZE	BIT	POINT	COLOR	1LB SKU	5LB SKU	BULK SKU
#7 x 1-1/2"	#10 Star	Type-17	Golden	TH7X112-1	TH7X112-5	N/A
#7 x 2"	#10 Star	Type-17	Golden	TH7X2-1	TH7X2-5	N/A
#7 x 2" (MAGNI Coating)	#10 Star	Type-17	White	TH7X2W-1	N/A	N/A
#7 x 2-1/2"	#10 Star	Type-17	Golden	TH7X212-1	TH7X212-5	N/A
#7 x 2-1/2" (MAGNI Coating)	#10 Star	Type-17	White	TH7X212W-1	N/A	N/A
#7 x 3-1/8"	#10 Star	Type-17	Golden	TH7X318-1	TH7X318-5	N/A
#7 x 3-1/8" (MAGNI Coating)	#10 Star	Type-17	White	TH7X318W-1	N/A	N/A
#9 x 3"	#15 Star	Type-17	Golden	TH9X3-1	TH9X3-5	N/A

COMPOSITE DECK SCREWS (EXTERIOR)



WoodPro Composite Deck Screws are coated by PPG Industries with a superior 1,000 hour Electro-Polyseal coating for consistent layering that prevents recess fill while offering superior corrosion protection. The secure STAR drive helps reduce bit slippage and a sharp Type-17 point provides quick starting and effortless drilling. Dual threads prevent mushrooming while the color matched PPG coating conceals the fastener.

SIZE	BIT	POINT	COLOR	1LB SKU	5LB SKU	BULK SKU
#10 x 2-1/2"	#20 Star	Type-17	Tan	CD10X212T-1	CD10X212T-5	N/A
#10 x 2-1/2"	#20 Star	Type-17	Grey	CD10X212G-1	CD10X212G-5	N/A
#10 x 2-1/2" (MAGNI Coating)	#20 Star	Type-17	Rustic Red	CD10X212RR-1	CD10X212RR-5	N/A
#10 x 2-1/2"	#20 Star	Type-17	Brown	CD10X212B-1	CD10X212B-5	N/A

PHOSPHATE COATED DRYWALL SCREWS (INTERIOR)



WoodPro Drywall Screws are phosphate coated and offer minimal corrosion protection. Our Drywall screws feature a coarse thread that helps prevent pop-out. A sharp Type-A point aids in quick starting and effortless drilling. These screws are for interior use only and should not be used in treated lumber.

SIZE	BIT	POINT	COLOR	1LB SKU	5LB SKU	BULK SKU
#6 X 1"	#2 Philips	Type-A	Grey/Black	DWPC6X1-1	DWPC6X1-5	DWPC6X1-10M
#6 X 1-1/4"	#2 Philips	Type-A	Grey/Black	DWPC6X114-1	DWPC6X114-5	DWPC6X114-8M
#6 X 1-1/4" (Fine Thread)	#2 Philips	Type-A	Grey/Black	N/A	N/A	DWFT6X114-8M
#6 x 1-5/8"	#2 Philips	Type-A	Grey/Black	DWPC6X158-1	DWPC6X158-5	DWPC6X158-5M
#6 x 1-5/8" (Fine Thread)	#2 Philips	Type-A	Grey/Black	N/A	N/A	DWFT6X158-5M
#6 x 2"	#2 Philips	Type-A	Grey/Black	DWPC6X2-1	DWPC6X2-5	DWPC6X2-3.5M
#8 x 2-1/2"	#2 Philips	Type-A	Grey/Black	DWPC8X212-1	DWPC8X212-5	DWPC8X212-2.5M
#8 x 3"	#2 Philips	Type-A	Grey/Black	DWPC8X3-1	DWPC8X3-5	DWPC8X3-2M

MODIFIED TRUSS HEAD SCREWS (INTERIOR)



WoodPro Modified Truss Head screws are zinc coated with a self-tapping point that easily drives into 20-25 gauge steel studs.

SIZE	BIT	POINT	COATING	1LB SKU	5LB SKU	BULK SKU
#8 x 1/2"	#2 Phillips	Self-Tapping	Zinc	N/A	MT8X12-5	N/A




We offer a wide range of hand driven nails in 1lb and 5lb boxes, 30lb plastic buckets and 50lb bulk boxes. We have planogram offerings from 4ft to 16ft ready to ship. We can tailor any WoodPro planogram for each unique market. If a specific fastener does not perform well in your market, we'll fill the planogram with a fastener that does. All WoodPro packaged nails meet or exceed all applicable ASTM codes.


COATING INFORMATION


Bright Finish — For interior use where no corrosion protection is needed. Not for use in ACQ or other treated lumber. Meets or exceeds all ASTM specifications, when applicable.


Electro Galvanized (EG) — Minimal corrosion protection for use in areas that need mild corrosion protection. Not for use in treated lumber. Meets or exceeds all ASTM standards for zinc coating weight when applicable.


Hot Dip Galvanized (HDG) — Premium corrosion protection, acceptable for use in ACQ and other types of treated lumber. Meets or exceeds all ASTM standards for zinc coating weight when applicable.

EG ROOFING				
				
SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
1"	BR1-1	BR1-5	BR1-30	BR1-50
1-1/4"	BR114-1	BR114-5	BR114-30	BR114-50
1-1/2"	BR112-1	BR112-5	BR112-30	BR112-50
1-3/4"	BR134-1	BR134-5	BR134-30	BR134-50
2"	BR2-1	BR2-5	BR2-30	BR2-50
2-1/2"	BR212-1	BR212-5	BR212-30	BR212-50
3"	BR3-1	BR3-5	BR3-30	BR3-50

EG PLASTIC CAP RING SHANK		
		
SIZE	1LB SKU	BULK SKU
1"	PC1-1	PC1-2M
1-1/4"	PC114-1	PC114-2M
1-1/2"	PC112-1	PC112-2M
2"	PC2-1	PC2-2M
2-1/2"	PC212-1	PC212-2M
3"	PC3-1	PC3-2M

HOT DIP GALVANIZED ROOFING				
				
SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
1"	N/A	N/A	N/A	BRHD1-50
1-1/4"	N/A	N/A	N/A	BRHD114-50
1-1/2"	N/A	N/A	N/A	BRHD112-50
1-3/4"	N/A	N/A	N/A	BRHD134-50
2"	N/A	N/A	N/A	BRHD2-50
2-1/2"	N/A	N/A	N/A	BRHD212-50
3"	N/A	N/A	N/A	BRHD3-50

EG METAL CAP RING SHANK		
		
SIZE	1LB SKU	25LB BULK SKU
1-1/4"	N/A	CAP114-25
1-1/2"	N/A	CAP112-25


DRYWALL NAILS			
			
SIZE	5LB SKU	50LB SKU	NOTES
1-5/8"	DWPCAT158-5	DWPCAT158-50	Bright, Annular Thread
1-5/8"	DWPC158-5	DWPC158-50	Phosphate Coated

HOT DIP GALVANIZED BOX NAILS




SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
3d	BXHD3-1	BXHD3-5	BXHD3-30	BXHD3-50
4d	BXHD4-1	BXHD4-5	BXHD4-30	BXHD4-50
5d	N/A	N/A	N/A	BXHD5-50
6d	BXHD6-1	BXHD6-5	BXHD6-30	BXHD6-50
7d	BXHD7-1	BXHD7-5	BXHD7-30	BXHD7-50
8d	BXHD8-1	BXHD8-5	BXHD8-30	BXHD8-50
10d	N/A	N/A	N/A	BXHD10-50
16d	BXHD16-1	BXHD16-5	BXHD16-30	BXHD16-50
20d	N/A	N/A	N/A	BXHD20-50

HOT DIP GALVANIZED JOIST HANGER



SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
1-1/4"	JHHD114-1	JHHD114-5	N/A	JHHD114-50
1-1/2"	JHHD112-1	JHHD112-5	N/A	JHHD112-50

HOT DIP GALVANIZED CASING NAILS



SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
8d	CSHD8-1	CSHD8-5	CSHD8-30	CSHD8-50
10d	N/A	N/A	N/A	CSHD10-50
16d	CSHD16-1	CSHD16-5	CSHD16-30	CSHD16-50

HOT DIP GALVANIZED MASONRY




SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
8d	HCMHD8-1	HCMHD8-5	HCMHD8-30	HCMHD8-50

BRIGHT FINISH



SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
4d	FN4-1	FN4-5	FN4-30	FN4-50
6d	FN6-1	FN6-5	FN6-30	FN6-50
8d	FN8-1	FN8-5	FN8-30	FN8-50
16d	FN16-1	FN16-5	FN16-30	FN16-50

BRIGHT DUPLEX




SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
6d	N/A	N/A	N/A	DP6-50
8d	DP8-1	DP8-5	DP8-30	DP8-50
10d	DP10-1	DP10-5	DP10-30	DP10-50
16d	DP16-1	DP16-5	DP16-30	DP16-50

BRIGHT COMMON



SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
6d	N/A	N/A	N/A	CM6-50
8d	CM8-1	CM8-5	CM8-30	CM8-50
12d	N/A	N/A	N/A	CM12-50
16d	CM16-1	CM16-5	CM16-30	CM16-50
20d	N/A	N/A	N/A	CM20-50
30d	N/A	N/A	N/A	CM30-50
40d	N/A	N/A	N/A	CM40-50
50d	N/A	N/A	N/A	CM50-50
60d	N/A	N/A	N/A	CM60-50

HT, EG, RING SHANK POLE BARN




SIZE	5LB SKU	30LB SKU	50LB SKU
20d	PBHTR20-5	PBHTR20-30	PBHTR20-50
40d	PBHTR40-5	PBHTR40-30	PBHTR40-50
60d	PBHTR60-5	PBHTR60-30	PBHTR60-50
80d	N/A	N/A	PBHTR80-50

VINYL COATED SINKER



SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
6d	N/A	N/A	N/A	CSV6-50
7d	N/A	N/A	N/A	CSV7-50
8d	CSV8-1	CSV8-5	CSV8-30	CSV8-50
10d	CSV10-1	CSV10-5	CSV10-30	CSV10-50
12d	CSV12-1	CSV12-5	CSV12-30	CSV12-50
16d	CSV16-1	CSV16-5	CSV16-30	CSV16-50
20d	N/A	N/A	N/A	CSV20-50

BRIGHT BOX NAILS



SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
4d	N/A	N/A	N/A	BX4-50
6d	N/A	N/A	N/A	BX6-50
16d	N/A	N/A	N/A	BX16-50
20d	N/A	N/A	N/A	BX20-50

HOT DIP GALV. POULTRY STAPLE



SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
3/4"	N/A	N/A	N/A	PSHD34-50
1-3/4"	N/A	N/A	N/A	PSHD134-50

POLISHED FENCE STAPLE



SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
1-1/4"	N/A	N/A	N/A	FSG114-50
1-3/4"	N/A	N/A	N/A	FSG134-50

BRIGHT LANDSCAPE SPIKES



SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
8d	N/A	N/A	N/A	LS8-50
10d	N/A	N/A	N/A	LS10-50
12d	N/A	N/A	N/A	LS12-50



AIR HOSE / ACCESSORIES

100% premium polyurethane re-enforced air hose from B&C Eagle is much lighter compared to bulky rubber or plastic hose. It's easier to maneuver, highly tangle and kink resistant, and ultra durable. Ideal for use in doors or out doors. This hose maintains it's flexibility through the most extreme weather, from 165° F to -40° F.



Features

- Approximately half the weight of a conventional rubber air hose
- Stays flexible from 165°F to -40°F
- Resistant to abrasion, kinks, tangles, oil and grease
- Includes 1/4" NPT male brass solid fittings
- 200 psi @ 75°F rated
- No memory, lays out flat
- 4:1 Safety factor (Burst at 800 PSI)

AIR HOSE ITEM LIST

PUR14X25B	1/4" x 25' BLUE Air Hose
PUR14X50B	1/4" x 50' BLUE Air Hose
PUR14X100B	1/4" x 100' BLUE Air Hose
PUR38X50B	3/8" x 50' BLUE Air Hose
PUR38X100B	3/8" x 100' BLUE Air Hose

PNEUMATIC TOOL ACCESSORIES & COMPRESSORS

American Fastening Systems stocks a variety of pneumatic tool and compressor fittings, pneumatic tool oil and is an authorized distributor and repair center for Rol-Air compressors and parts.



Need your compressor or pneumatic tool repaired?

American Fastening Systems makes it easy and convenient to have your pneumatic tool or compressor repaired. We have a complete repair facility with over 50 years of experience in repairing all major brands of pneumatic tools and compressors. We have an extensive inventory of hard parts available to service your tools.


To have your tool repaired by American Fastening Systems, please contact our service department at (651)-482-1234. If you are local to the Minneapolis/St. Paul area, you can drop off your tool or compressor for repair at: 2055 White Bear Ave, Maplewood MN 55109. You can also email us for more information at service@americanfastening.com

Authorized repair center for these brands and more



Parts available

Along with tool service, we also have parts for sale to service your tools yourself. We have o-ring kits and spare parts in stock and ready to ship for most major brands. Please call us or email us for questions or to place an order.



WE OFFER 2', 4', 8', 16' DISPLAYS

We have planogram offerings from 2 feet to 16 feet. Because each market is different, any one of our planograms can be customized to suit your specific needs. We want you to stock products that you can sell. Contact your distributor for more information.



AMERICAN FASTENING SYSTEMS



DISTRIBUTED BY:

American Fastening Systems
2055 White Bear Ave N
Maplewood, MN 55109

Ph. 651-482-1234 / 877-842-1234
Fax. 651-482-6111
www.bandceagle.com
www.woodprofasteners.com



WWW.BANDCEAGLE.COM
WWW.WOODPROFASTENERS.COM